



INLAND SP GREASE

Material Safety Data Sheet

Revision Date January 2011

For Chemical Emergency Call Chemtrec 800-424-9300

1. Substance/Company Identification

PRODUCT NAME: **INLAND SP GREASE**
CHEMICAL NAME: Fluoropolyether blend
CHEMICAL FAMILY: Fluoropolymer
COMPANY: Inland Vacuum Industries
35 Howard Ave
Churchville NY 14428
(585) 293-3330

2. Composition/ Ingredients

<u>Name:</u>	<u>CAS#</u>	<u>Approximate Weight (% wt.):</u>
1,1,2,2-Tetrafluoroethene, oxidized, polymerized	69991-61-3	30-35
Propene, 1,1,2,3,3,3-hexa- fluoro, oxidized, polymerized	69991-67-9	30-35
(S) parafluoropropene and oxygen polymerized, amide derivative	147129-88-2	7- 13
Homopolymer of tetrafluoroethylene	9002-84-0	20 -25

3. Potential Health Effects

Effects of Overexposure:

Eye Contact: Eye contact may cause slight irritation.

Skin Contact: Skin contact may cause slight irritation.

Inhalation: Inhalation of vapors or mists may cause respiratory tract irritation.

Ingestion: Ingestion may cause nausea and vomiting.

4. First Aid Measures

Eye Contact: Flush eyes for 15 minutes with copious amounts of water, retracting eyelids often. Seek medical attention if irritation persists.

Skin Contact: Wash skin thoroughly with mild soap and water. Flush with lukewarm water for 15 minutes.

Inhalation: If symptoms of irritation, discomfort or overcome by exposure, remove affected person to fresh air. Give oxygen or artificial respiration as needed.

Ingestion: If conscious, drink three to four 8 ounce glasses of water or milk. Call a physician. If unconscious, immediately take affected person to a hospital. Do not give anything by mouth to an unconscious person.

5. Fire Fighting Measures

Flash Point: Not Applicable

Lower Explosive Limit: Not Applicable

Upper Explosive Limit: Not Applicable

Autoignition Temperature: Not Applicable

Extinguishing Media: Water (spray or fog), foam, dry chemical or carbon dioxide (CO₂).

Unusual Fire Hazards: Fluoropolymers will degrade upon prolonged heating or in a fire, liberating carbonyl fluoride and hydrogen fluoride (HF). This gas is toxic if inhaled or it comes into contact with moist skin. HF has an ACGIH TLV ceiling limit of 3 ppm (2.6 mg/m³) and an OSHA PEL TWA of 3 ppm. Carbonyl fluoride has an ACGIH TLV TWA and OSHA PEL TWA of 2 ppm (5 mg/m³).

Fire Fighting Procedures: Use self contained breathing apparatus (SCBA) and skin protection for acid gas exposure. Do not enter fire area without proper protection. Fight fire from safe distance. If possible, air monitoring should be performed.

6. Accidental Release Measures

PROCEDURE TO BE FOLLOWED IN EVENT OF RELEASE: In case of a release or spill, absorb material onto vermiculite or similar inert absorbent. Use Perfluorosolv0 PFS-1 Solvent to clean up any remaining liquid. Place spilled material into covered container for disposal. Dispose of according to applicable local, state and federal regulations. Extinguish all ignition sources and evacuate the area. Exercise caution; spill area may be slippery.

7. Handling and Storage

Wash hands after use and before handling food or applying cosmetics. Do not use tobacco products in the immediate area. Keep containers closed. Keep away from heat, sparks and flames. Do not store near combustible materials.

8. Exposure Controls/Personal Protection

ACGIH Threshold Limit Value (8 hr. time weighted average)

None established

OSHA Permissible Exposure Limit (8 hr. time weighted average)

None established

Engineering Controls:Ventilation Requirements:

Local Exhaust: Vent vapors or mists generated by processing away from operating personnel. Local exhaust ventilation at a rate of 50 feet per minute.

Personal Protective Equipment:Respiratory Protection:

No occupational exposure standards have been developed for this material. In situations where exposure to vapors or mists is likely, NIOSH/MSHA approved acid and organic vapor respirators are recommended. Respirator use limitations made by NIOSH/MSHA or the manufacturer must be observed. Respiratory protection programs must be in accordance with 29 CFR 1910.134.

Eye Protection:

Eye/Face Protection: ANSI Z87.1 approved safety glasses with side shields or equivalent, safety goggles

Skin Protection:

Rubber or latex gloves

9. Physical & Chemical Properties

Appearance: Clear Liquid

Color: Colorless

Odor: Odorless

Vapor Pressure: Not available

Vapor Density (Air=1): Not available

Boiling Point: >270 C

Melting Point: Not available

Specific Gravity: 1.9

Solubility in Water: Insoluble

Molecular Formula: Mixture

Molecular Weight: Not available

10. Stability & Reactivity

Stability: This material is stable.

Reactivity: This material is not reactive.

Conditions to Avoid: Heat, sparks, flames, and other ignition sources; avoid heating above 290 C/554 F.

Materials to Avoid: Strong alkaline compounds (alkaline hydroxides, ammonia, non-aqueous alkalis), Lewis acids (AlCl₃, SbF₅, C F₃), or magnesium, aluminum and their alloys above 100 C/212 F.

Hazardous Decomposition Products: Thermal decomposition of this product will generate hydrogen fluoride (HF), which is corrosive, causing burns on

contact with skin and other tissue.

Incompatibility (Materials to Avoid): Alkali metals and halogenated compounds.

11. Toxicological Information

No toxicology data is available for this mixture . However, compositionally similar materials have not exhibited acute toxicological effects.

Data listed are for a compositionally similar material:

Rat oral LD50: greater than 25.65 g/kg

Rat intraperitoneal LD50: greater than 25 g/kg

Rat dermal LD50: greater than 2 g/kg

Rabbit skin irritation: not irritating

Rabbit eye irritation: not irritating

Guinea pig sensitization: not a sensitizer

12. Ecological Information

No ecotoxicological information is available for this material.

13. Disposal Considerations

Waste Disposal: Material, as supplied, is not a hazardous waste. Incinerate in a high-temperature incinerator designed to burn fluorine-containing materials, according to current federal, state and local regulations. Processing, use or contamination may make this information inaccurate or incomplete.

14. Transport Classification

Shipping Class: Not regulated by DOT.

15. Regulatory Information

All components of this product are listed on the Toxic Substances Control Act (TSCA) Section 8(b) Chemical Inventory. This product is not a "hazardous substance" as defined by OSHA Hazard Communication Standard (29 CFR 1910.1200). This product is not a "controlled product" as defined by the Canadian Workplace Hazardous Materials Information System (WHMIS).

SARA Section 302 Extremely Hazardous Substances: Not listed

SARA 311/312: Acute: No

Chronic: No

Fire: No

Reactivity: No

Sudden Release of Pressure: No

SARA Section 313 Toxic Chemicals: Not listed

16. Other Information

NFPA RATING

FLAMMABILITY	0
HEALTH HAZARD	1
REACTIVITY	0
SPECIAL HAZARD	NONE